




yCell (HD) HDLE  
Anilox Transfer  
Technology



LPI Lines Per Inch	LPCM Lines Per CM	cm3/m2 Optimum	cm3/m2 Max	BCM1 Optimum	BCM2 Max
100	39	28,60	40,00	18,45	25,80
120	47	23,54	36,90	15,18	23,80
140	55	19,67	30,80	12,69	19,87
165	65	16,65	23,20	10,74	14,96
180	70	15,03	22,00	9,69	14,19
200	80	13,48	19,20	8,69	12,38
220	87	12,08	16,98	7,79	10,95
240	95	11,28	15,70	7,27	10,12
250	100	10,73	15,30	6,92	9,87
280	110	9,34	13,42	6,02	8,65
300	120	8,56	13,00	5,52	8,38
360	140	7,13	12,75	4,59	8,22
400	158	6,17	10,16	3,98	6,55
440	173	5,62	9,12	3,62	5,88
500	197	4,79	8,00	3,09	5,16
550	217	4,52	7,16	2,91	4,61
600	236	4,00	6,55	2,58	4,22
700	276	3,42	5,70	2,20	3,67
800	315	2,94	4,70	1,89	3,03
900	355	2,52	4,30	1,62	2,77
1000	400	2,11	3,52	1,36	2,27
1200	473	1,56	3,35	1,00	2,16



INNOVATIVE ANILOX SOLUTIONS PROVIDER | [WWW.CAEPTY.CO.ZA](http://WWW.CAEPTY.CO.ZA)

